

# TS 1



## Functions and features:

The unique feature of some Terma heating elements is Terma-Split, it is the innovative Terma Split solution that provides the ability to separate the heating element from the controller.

The Terma-Split screws into the radiator and is tightened with a “traditional” 24mm spanner, then the controller can be fitted onto the Terma-Split connector. The connector is then hidden within the controller case.

- Easy and safe installation.
- The ability to remove the controller, eg. for repair without a need to remove Terma Split.
- Easy positioning of the controller. The controller can be turned within a range of 340°, allowing the face to be always visible.
- Heating element power range from 120-1000 W with the ability to work with any of the KTX range of controllers.

## Specifications:

Device protection class: Class I  
Power supply: 230 V / 50 Hz

## Table configurations:


Example of product code: **WE** **TS1** **04** **K** **---** **D**

Element power code  
Model code  
kod złącza Split  
Packaging code

Code elements highlighted in blue

Model	Power [W]	Packaging	Colour	Split connector
<b>WE</b> <b>TS1</b> Terma Split	<b>01</b> 120	<b>K</b> Box	<b>---</b> N/A	<b>D</b> Split Connector Class I
	<b>02</b> 200			
	<b>03</b> 300			
	<b>04</b> 400			
	<b>06</b> 600			
	<b>08</b> 800			
	<b>10</b> 1000			

# TS 1



L [mm]	325	285	310	345	375	485	575
Power [W]	120	200	300	400	600	800	1000